

# REPORT DOCUMENTATION PAGE

Form Approved  
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Washington Headquarters Service, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188) Washington, DC 20503.

PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.

1. REPORT DATE (DD-MM-YYYY) 05/29/2002		2. REPORT DATE 05/29/2002 FINAL		3. DATES COVERED (From - To) April 2001 - March 2002	
4. TITLE AND SUBTITLE A Catalytic Reactor for Mechanistic Investigation of Hydrocarbon Functionalization				5a. CONTRACT NUMBER N00014-01-1-0583	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S) Stephen G. DiMagno				5d. PROJECT NUMBER N00014-01-1-0583	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) University of Nebraska-Lincoln 303 Canfield Administration Building Lincoln, NE 68588-0430				8. PERFORMING ORGANIZATION REPORT NUMBER 2505090034001	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) Office of Naval Research 800 N. Quincy Street Arlington, VA 22217-5000				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSORING/MONITORING AGENCY REPORT NUMBER	
12. DISTRIBUTION AVAILABILITY STATEMENT Distribution Unlimited					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT  The reactor assembled using these funds has allowed us to define the conditions permitting direct electrochemical oxidation of the reduced form of the catalyst. This key finding should enable a greater breadth of nucleophiles, including oxygen nucleophiles, to be used in hydrocarbon functionalization reactions catalyzed by rhodium porphyrins.					
15. SUBJECT TERMS hydrocarbon catalysis oxidation C-H activation					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON
a. REPORT	b. ABSTRACT	c. THIS PAGE			Stephen G. DiMagno
U	U	U	UL	4	19b. TELEPHONE NUMBER (Include area code) (402) 482-9895

20020604 409

## FINAL REPORT

**GRANT #:** N00014-01-1-0583

**PRINCIPAL INVESTIGATOR:** Stephen G. DiMagno

**INSTITUTION:** University of Nebraska

**GRANT TITLE:** A Catalytic Reactor for Mechanistic Investigation of Hydrocarbon Functionalization



**AWARD PERIOD:** 1 April 2001 - 31 March 2002

**OBJECTIVE:** To construct a reactor that allows *in situ* monitoring and investigation of hydrocarbon functionalization under moderate pressure. This reactor supports research carried out under grant # N00014-00-1-0283.

**APPROACH:** Rhodium complexes of novel fluorinated porphyrins are prepared and their actions upon gaseous hydrocarbons, particularly methane, are followed by FT-IR spectroscopy and electrochemical analysis within the high-pressure reactor. The impact of varying ligand design, solvent, nucleophile, axial ligand, oxidant, and hydrocarbon or hydrogen pressures upon the rates and/or thermodynamics of the catalytic process are assessed similarly. In addition, extensive electrochemical studies of these catalysts in various solvent/electrolyte systems are performed to find systems compatible with direct electrochemical oxidation of the rhodium catalysts. The essential steps in this novel catalytic cycle are outlined in Scheme 1.

**ACCOMPLISHMENTS:** With the new pressure reactor, we performed kinetic studies of H<sub>2</sub> and D<sub>2</sub> activation and methane and deuteriomethane activation and evolution by Rh(F<sub>28</sub>TPP) at moderate gas pressures and 293 °K, 313 °K, 333 °K, and 353 °K reaction temperatures. The rate constant for hydrogen activation was found to be nearly identical to that of Rh(TMP). Methane evolution was well fit by a second order kinetic model, indicating that the C-H activation reaction does involve two metalloradical centers in the rate determining step. Complementary H-D exchange

reactions with linear alkanes (heptane, decane) showed that C-H activation is selective toward 1° C-H bonds when both



Scheme 1. Methane functionalization cycle.

1° and 2° saturated carbon centers were present. These data indicate that the highly electrophilic nature of the metal center does not compromise the kinetics of the important homolytic bond-breaking steps in the cycle (reactions 1 and 4 in Scheme 1.)

**Electrochemical Studies:** We conducted a variety of electrochemical experiments aimed at determining what solvents, counterions, and potential nucleophiles were compatible with a stable rhodium metalloradical species. After extensive experimentation, it was found that the Rh(F<sub>28</sub>TPP) metalloradical was stable in hydroxylic and/or nonpolar solvents containing weakly coordinating anions. Furthermore, aqueous mixtures of nonpolar solvents (saturated solutions) also supported a stable Rh(II) metalloradical. These results indicate that water or other hydroxylic nucleophiles are compatible with this catalytic process; this is a key finding given that alcohols are desirable end products.

**CONCLUSIONS:** Direct electrochemical oxidation of reduced Rh(F<sub>28</sub>TPP) is possible under catalytic conditions. The kinetics of hydrocarbon functionalization indicate the alkane activation is rate limiting for the Rh(F<sub>28</sub>TPP) catalyzed process.

**SIGNIFICANCE:** The reactor has allowed us to define the conditions permitting direct electrochemical oxidation of the reduced form of the catalyst. This key finding should enable a greater breadth of nucleophiles, including oxygen nucleophiles, to be used in hydrocarbon functionalization reactions catalyzed by rhodium porphyrins.

**PUBLICATIONS AND ABSTRACTS:**

1. Wertsching, A. K., Koch, A. S., and DiMagno, S. G., (2001), "On the Negligible Impact of Ruffling on the Electronic Spectra of Porphine, Tetramethylporphyrin, and Perfluoroalkylporphyrins", *J. Am. Chem. Soc.* **2001**, 123, 3932-3939.
2. Smirnov, V. V., Woller, E. K., Tatman, D. and DiMagno S. G., (2001), "Structure and Photophysics of  $\beta$ -Octafluoro-meso-tetraarylporphyrins", *Inorg. Chem.* **2001**, 40, 2614-2619.

3. DiMagno, S. G.; Sun, H.; Nelson, A. P. (2001)  
"Hydrocarbon Activation and Conversion by Electrophilic Rhodium Porphyrin Complexes", Abstracts of Papers, 222nd ACS National Meeting, Chicago, IL, United States, August 26-30, 2001.
  4. DiMagno, S. G.; Biffinger, J. C.; Sun, H. "Reactivity of Iridium and Rhodium Thiaporphyrins", (2001) Abstracts of Papers, 222nd ACS National Meeting, Chicago, IL, United States, August 26-30, 2001.
  5. DiMagno, S. G.; Smirnov, V. V. "Organometallic Complexes of Electron-deficient Zirconium(IV) Porphyrins. (2001) Abstracts of Papers, 222nd ACS National Meeting, Chicago, IL, United States, August 26-30, 2001.
  6. DiMagno, S. G.; Sun, H.; Biffinger, J.; Nelson, A. P. "Electrochemistry of a Series of Rhodium Porphyrins: New Understanding of the Relationship between Electrochemical Properties and Coordination Properties of the Rhodium Porphyrins", (2002) Abstracts of Papers, 223rd ACS National Meeting, Orlando, FL, United States, April 7-11, 2002.
-